



# **JITCOVER CATALOG**

**JIT PRODUCT®**



**JIT INDUSTRIAL LIMITED**

**Office Address: No.7 SHANDONG Road, Qingdao, China 266071**

**Website: [www.jitcover.com](http://www.jitcover.com)**

**TEL: 0086-532-85813601-809 FAX: 0086-532-85813602-802**

**Email: [info@jitcover.com](mailto:info@jitcover.com)**

## COMPANY INFO



**Welcome to JITCOVER Products.**

We manufacture and distribute the very best in Instant Garages, Garage Kits, Portable Buildings, Party Tents, and Protective Enclosures in a wide variety of styles, sizes, and colors. Our garages are constructed of **heavy-duty galvanized steel frames** and long lasting covers complete with **UV protection and fire retardant**.

Suitable for residential, agricultural and commercial uses.

Our products are all about protecting your investments. Cover and protect cars, boats, RV's, campers, equipment, tools, or anything of value from weather. They are perfect to create a workshop or workspace. Commercial uses at jobsites for temporary workspace provide valuable space at minimum costs to reduce delays caused by weather and increase contractor profits. We have Greenhouses, Large Portable Buildings, and portable garages for autos, motorcycles, outdoor furniture and much more!

The characters of our products:

- 1) Easily, conveniently, quickly to be assembled and disassembled
- 2) With a stylish appearance, firm structure. Special powder coated or galvanized steel-tube frame in antirust and corrosion-resistant
- 3) The cover is PE OR PVC fabric, coated on both sides, UV-resistant, fire retardant and against ageing, high tensile strength. The PVC cover can last for up to 10 years!
- 4) High-efficiency team could design and quote the price according to your requirement.
- 5) High appreciation for the high quality, reasonable prices and wide field of applications.

### **JIT INDUSTRIAL LIMITED**

**Office Address: No.7 SHANDONG Road, Qingdao, China 266071**

**Website: [www.jitcover.com](http://www.jitcover.com)**

**TEL: 0086-532-85813601-809 FAX: 0086-532-85813602-802**

**Email: [info@jitcover.com](mailto:info@jitcover.com)**



# Trussed Frame Large Shelter



Our trussed frame shelters are professionally designed to protect your properties for temporary and permanent use. The structures are very strong, taking the robust trussed frame design and using big specification materials. Without any column or supports inside, our shelters supply you a spacious interior room to allow a lot of applications. All the parts of the shelters are well processed in advance for easy set up according to the assembly manual. Compared with the traditional buildings, our trussed frame shelters are cost effective, easy to set up, and they can be relocated according to the needs.



## Super Large Shelter

MODEL: JIT-49115

SIZE: L35 x W15 x H7.2m

(L115' x W49' x H24')

Frame: Double tube trussed frame that made of high quality galvanized steel tube, complete with all connection kits, anchor kits.  
Mechanical Roll up door W4.6xH5.2m.

Cover: 300 gsm PE(polythene) or 610 gsm PVC fabric, high level UV treated for long life, fire retardant and 100% waterproof.

525 m<sup>2</sup> Super large shelter for warehouse, workshop, large parking, mining and sand storage. It can be lengthened or shortened as customer request.






# Trussed Frame Large Shelter



This trussed frame shelter adopts a peaked roof style, uses very big specification materials, and applies to the enforced design. The heavy duty truss sections are fixed together by flange plates, instead of bolting, to keep the biggest strength of the tubing. Much more support tubes are added to the structures. It is well calculated and designed to be used in the heavy snow and wind areas like in North America and north Europe. A big sliding door of W12xH4m in the front panel can allow the big forklift to go in and out freely, also this is a very good choice as aircraft hangar.



## 20m Wide Large Shelter

MODEL: JIT-6549

SIZE: L15 x W20 x H8m (L49' x W65' x H26.2')

Frame: Double tube trussed frame that made of high quality galvanized steel tube, complete with all connection kits, anchor kits. Many diagonal support tubes to grasp the frame as one whole. One sliding door W12xH4m.

Cover: 300 gsm PE(polythene) or 610 gsm PVC fabric, high level UV treated for long life, fire retardant and 100% waterproof.

Designed for customers for very heavy snow load with 20M super wide. Special diagonal port tubes connection for maximum strength. And we also could do longer shelter (20m, 60m, 50m, 60m, 70m) according to your requirement.



1  
5  
0  
K  
G  
/  
M  
2  
S  
N  
O  
W

sup-

fire retar-  
LOAD sup-  
40m,

D  
I  
N  
G

# Trussed Frame Large Shelter



Generous size, strong galvanized trussed frame structure, high quality materials, commercial price, wide applications, .... This shelter keeps no.1 selling speed among the trussed frame shelters when it was born.

They are your best choice for:

- industrial warehouse
- farming storage
- mining storage
- temporary workshop

## Trussed Warehouse

MODEL: JIT-4060

JIT-4070

SIZE: L18.3/21.4 x W12.2 x H6.4m  
(L60'/70' x W40' x H21')



**Hot**



MODEL: JIT-4530

JIT-4536

SIZE: L9.15/11.0 x W14 x H4.8m  
(L30'/36' x W46' x H15.7')

Our **Aircraft Hangars** supply the best services in protecting your airplanes from all the weather elements. They are made of heavy duty galvanized trussed frame structures and 610g/m2 PVC coated fabric, at professional designing and high level manufacturing. They have a large sliding door opening in the full width of the shelter.

They are favored by :    Δ private owners of aircraft    Δ flight club    Δ flight school

They are also good choices for many other storage purposes.



# Dome Fabric Building



Classical semicircle design, appropriate size, cost advantage due to the large scale production,.... semicircle series **JIT-3040** and **JIT-3065** keeps **NO.1** selling speed among the single tube warehouse shelters these years. The length is adjustable according to your demand. The whole structure is firmly fixed to the ground by base flange plates. It can be fixed to flexible ground conditions, like earth condition, concrete condition, wood base, etc. The main cover is evenly and firmly tensioned by the swaged tensioning tubes with strips attached to the tie down ratchets in the base plates.



## Dome Shelter 30'Series (Mechanical Rolling Door)

Model	SIZE LxWxH (M)
JIT-3040	12 x 9.15 x 4.5
JIT-3065	20 x 9.15 x 4.5
JIT-3085	26 x 9.15 x 4.5



- Best selling model in Europe and America.
- Perfect semicircular shape
- good appearance
- strong frame
- easy assembly.
- Unique mechanical door
- Widely used for parking, warehouse,



## Dome Shelter 30' Light Series (Zipper Rolling Door)

Model	SIZE LxWxH (M)
JIT-3040 Light	12 x 9.15 x 4.5
JIT-3040 Light	20 x 9.15 x 4.5
JIT-3040 Light	26 x 9.15 x 4.5



- Use Lighter material than standard model, more competitive in price.
- Good choice for customers who do not request heavy snow load.
- Most Popular Model in Europe and America, Best Selling.
- Widely use as Carport, Garage, Storage, Workshop, Party and so on...

# Dome Truss Frame Tent



Popular models in North American and North European markets...Strong Truss Style structure and durable fabric, best quality, most safety protection in snow weather. Widely use as Carport, Garage, Storage, Workshop, Party and so on...



## Dome Truss Shelter 30'Series (Mechanical Rolling Door)

Model	SIZE LxWxH (M)
JIT-3040T	12 x 9.15 x 4.5
JIT-3065T	20 x 9.15 x 4.5
JIT-3085T	26 x 9.15 x 4.5



## Higher Sidewall Dome Truss Shelter 30'Series (Mechanical Rolling Door)

Model	SIZE LxWxH (M)
JIT-304020T	12 x 9.15 x 6.0
JIT-304620T	14 x 9.15 x 6.0
JIT-305920T	18 x 9.15 x 6.0
JIT-306520T	20 x 9.15 x 6.0
JIT-308520T	26 x 9.15 x 6.0



## Super Dome Tent, Big Top 50'Series (Mechanical Rolling Door)

Model	SIZE LxWxH (M)
JIT-5064T	19.4 x 15.24 x 7.0
JIT-5082T	24.93 x 15.24 x 7.0
JIT-50100T	30.48 x 15.24 x 7.0
JIT-50150T	45.65 x 15.24 x 7.0



# Large Size Shelter



Our single tube warehouses always keep the obvious advantages in the competition. In the past 15 years, we have accumulated abundant market experience, and have successfully developed many fabric shelters. Thanks to the high quality, professional design, wide application and commercial prices, our warehouses are very competitive and in high demand.

## Large Warehouse

MODEL: JIT-2682

SIZE: L25 x W7.9 x H4.2m (L82' x W26' x H14')

Frame: powder coated or galvanized steel frame, 76mm big steel tube

Cover: 300 gsm PE(polythene) or 610 gsm PVC fabric.

200 m2 big room, best choice for warehouse and storage.



## Bus Shelter

MODEL: JIT-1850

SIZE: L15 x W5.5 x H5.3m  
(L49' x W15' x H14').

Frame: powder coated or galvanized steel frame, 76mm big steel tube, Mechanical roll up door

Cover: 300 gsm PE(polythene) or 610 gsm PVC fabric.

Great evaluated model by customers for its strong structure and good size for bus/car parking.





## Middle Size Shelter



Our middle size single tube shelters can be used as two car garage, boat shelter, barn, party tent and cargo storage, warehouse, so on. All of them are well designed for easy assembly. As showing below, both of them use big specification tube to ensure the strong structure. We can also produce for you according to your requirements, drawings, or designs.

### TWO CAR GARAGE

MODEL: JIT-2424

SIZE: L7.1 x W7.3 x H4.2m  
(L23.3' x W24' x H13.8')

Frame: powder coated steel frame, 60mm steel tube, One roll up door.

Cover: 300 gsm PE(polythene) fabric/ 610g gsm PVC fabric.



### COMMERCIAL BARN

MODEL: JIT-2630

SIZE: L9.15 x W7.9 x H4.2m  
(30' x 26' x 13.8')

Frame: powder coated or galvanized steel frame, 76mm big steel tube, Roll up door

Cover: 300 gsm PE(polythene) fabric / 610g gsm PVC fabric



# Container Shelter



Our **Container Shelter series** are very popular in many countries, especially in European countries, Australia and New Zealand. They are easy installed on containers or buildings, could offer very big room for customers under very low cost. And they have strong frame to stand wind. All Container Shelters could add end panel as customers' requests.



## 6m Wide Container Shelter

MODEL: JIT-2020C  
JIT-2040C  
SIZE: L6.1/12.2xW6.1xH1.8m  
(L20'/40' x W20' x H6')

Frame: high quality powder coated steel frame. Single tube structure.

Cover: 300gsm PE (polythene) or 610 gsm PVC fabric, high tensile strength, UV treated for long life, fire retardant and 100% waterproof.

## 8m Wide Container Shelter

MODEL: JIT-2620C  
JIT-2640C  
SIZE: L6.1/12.2xW7.9xH3m  
(L20'/40' x W26' x H10')

76mm tubes for arch. Slanting support tube in two ends. The door and end panels are optional.



## 10m Wide Container Shelter

MODEL: JIT-3340C  
SIZE: L12.2xW10.0xH5m  
(L40' x W33' x H16.4')



# Container Shelter



## 10.9m Wide Container Shelter

MODEL: JIT-3620C,  
JIT-3640C  
SIZE: L6.1/12.2xW10.9xH2.8m  
(L20'/40'xW35.7'xH9.2')

The shelter is over the outer edges of two containers, with up-right support tubes to the inner edges of the containers)

## 12m Wide Container Shelter

MODEL: JIT-4040C  
SIZE: L12.2xW12.0xH4.0m  
(L40' x W40' x H13')

## 14m Wide Container Shelter

MODEL: JIT-4640C  
SIZE: L12.2xW14.0xH5.0m  
(L40' x W46' x H16.4')

**Super Strong Truss Style 12m(40'), 14m(46') Wide Container Tent, Container Shelter. Set up on 40' container, or between walls or buildings. Provide you an extra large storage space. Easy Assembly and Re-located.**

All Steel frame is hot galvanized for Antirust.

Super Strong TRUSS Style Archeson 2m(6.55') spacing.  
With diagonal support tubes at two end of spacings. With base plate at bottom of each arch.

Fabric: 300g/m<sup>2</sup> PE or 610g/m<sup>2</sup> PVC with 10 years longevity, UV resistant, Fire retardant.

End panel is Optional, Closed, Zipper door, or Winch roll up door.

Package: Steel Crate, or Steel sheet iron box.



# Boat & RV Shelter



We have a wide range of shelters for protecting and maintaining your boat, high RV, big cars, etc. They can also be used as barn, back yard storage, wood shed, special vehicle parking, etc. All of them are well designed for easy assembly and enough strength for snow and wind load. Like many of our other shelters, we supply steel cable to further enhance the structure. According to the feature of storing boat, we specially design the full open zipper door. There must be one here for you.



MODEL: JIT-2027/2033/2039  
SIZE: L8/10/12 x W3.5 x H3.8m  
(L26'/32.8'/39.4'xW11.5'xH12.4')

MODEL: JIT-1333/1339/1345  
SIZE: L10/12/14 x W4.0 x H3.7/4.5m  
(L32.8'/39.4'/45.9'xW13.1'xH12.1'/14.8')

MODEL: JIT-1323  
SIZE: L7xW4xH3.9m  
(L23'xW13.1'xH12.8')



## FEATURE:

Frame: powder coated or galvanized steel frame, dia. 60mm or 48mm.

The arch sections are connected by swaged ends and bolts.

The purlins are fixed to arches by bolts.

Flange base plates, fixed to ground by stake pegs and earth augers.

Cover: 300 gsm PE(polythene) fabric, or 610 gsm PVC.

Door: zipper roll up door or mechanical roll up door



Multi-purpose for boat/yacht, RV/car and cargo storage. Easy assembly. Strong structure.

# Boat Shelter





# Rectangle Tube Shelter



A special New Design shelter for very heavy snow and wind. Made of strong 75x50mm rectangle steel tube as frame, perfect roof shape for no snow accumulation. This is a very good choice if your areas have heavy snow and wind in winter, a real investment for you boat. There are different sizes for your choices.....

## Perfect Acuminate Roof for NO snow accumulation



**MODEL: JIT-3240S SIZE: L12.2 x W9.75 x H5.0m**  
(L40'xW32'xH16.4')

**JIT-3250S SIZE: L15.0 x W9.75 x H5.0m**  
(L50'xW32'xH16.4')

**MODEL: JIT-2430S SIZE: L9.15 x W7.3 x H4.3m**  
(L30'xW24'xH14.1')




**MODEL: JIT-1536S**  
**SIZE: L11.0 x W4.5 x H4.5m**  
(L36'xW14.7'xH14.7')

**MODEL: JIT-1639S**  
**SIZE: L12.0 x W5.0 x H5.0m**  
(L39.4'xW16.4'xH16.4')



### Feature:

1. Special Acuminate Roof shape for no snow accumulation.
2. Super strong 75x50mm rectangle galvanized steel tube for enough strength to stand strong wind, diagonal support tubes in frame for extra strength.
3. Clip joint.
4. Easy to set up.
5. Best choice for areas with heavy snow and wind, like north American and Europe.



Perfect Acuminate Roof for NO snow accumulation



# Classical Single Carport



Wide range of portable small carport with professional design and high level manufacturing. They are easy to set up, strong structure to stand wind and snow. They are your best choice for car/RV parking, boat protecting, wood shed, farm shed, and cargo storage. The unique base square tubes and the main cover tensioning designs ensure our portable carports very strong and durable in the use.

Cover: 300 GSM PE fabric,  
Colors: white, silver grey, green  
Door: zipper door in both or one end.

Features:  
Powder coated steel frame // Tube diameter 32mm // Easy set up by 3-way and 4-way connectors // Stable base square tube // Cross tubes in the ends, fixed to ground by stake peg and earth augers // The main cover is tensioned to the square base tube by tensioning tubes and tie down ratchets.



## Portable carport

MODEL: JIT-917

SIZE: L5.1 x W2.7 x H2.3m (L16.7' x W8.8' x H7.5')



MODEL: JIT-1219

JIT-1224

JIT-1228

SIZE: L5.6/7.1/8.5 x W3.66 x H2.6m

(L18.3'/23.3'/27.9' x W12' x H8.5')





# Small Size Carport, Shelter



Our small carport and shelter are made of powder coated/galvanized steel tube frame and durable PE (polythene) fabric cover. They have delicate appearance, professional design and strong structure. The perfect design makes them very easy to set up. They can be used for car parking, cargo storage, weeding machine, equipments storage. A very good DIY product for your weekend.

## DIY Garden Shed



MODEL: JIT-162  
JIT-511  
SIZE: L2.59/3.35 x W1.6 x H1.93m  
(L8.5'/11' x W5.2' x H6.3')

MODEL: W-250A  
SIZE: L3 x W2.5 x H2.3m  
(L9.8' x W8.2' x H7.5')

**popular**  
Powder coated steel frame. Tubes are quickly connected by 3-way and 4-way fittings. Covered by 200 gsm PE(polythene) fabric, UV treated, fire retardant and 100% waterproof.



MODEL: JIT-788  
SIZE: L5.1 x W2.7 x H2.3m  
(L16.7' x W8.9' x H7.5')

## Mini Carport

This carport uses powder coated steel frame and 200g/m2 PE fabric. The frame has 6 groups of arches and 3 groups of purlins. It can be quickly set up using 3-way and 4-way connectors.

Featured base, made of square steel tubes. When it is fixed to the ground, the whole structure is very strong and steady.

JIT-788 keeps the no. 1 in the selling of the small shelters for many years. It is warmly welcomed in the markets thanks to its good quality, professional design, and durable structure.



MODEL: JIT-815  
SIZE: L4.5 x W2.4 x H2.3m →  
(L14.7' x W7.9' x H7.5')



# Portable Carport series



Your best choices for car/RV parking, cargo storage.

- \* Strong structure, easy to set up.
- \* Powder coated or galvanized steel tube
- \* 300 gsm PE (polythene) fabric cover, waterproof, UV resistant, fire retardant.



## STRONG CARPORT

Galvanized steel tubing, dia.32mm  
3-way and 4-way connection  
Arch spacing 4'  
Square tubing base frame  
Cross brace in the top of each arch  
Slanting support braces in corners



Earth Auger

MODEL: JIT-1216 / JIT-1220 / JIT-1224 / JIT-1228, Series 1

SIZE: L6.0 x W3.66 x H2.6m Any length by +/- 1.2m  
(L19.7' x W12' x H8.5')



## EXTRA STRONG CARPORT

Galvanized steel tubing,  
Arch: dia.42mm. Purlin: dia.32mm  
Swaged ends connection  
Arches and purlins are bolted  
Arch spacing 4'  
Slanting support braces in corners



Pull U-Bolt &  
Anchor Loop up on  
Arch Base and  
Tighten



Duckbill Auger

MODEL: JIT-1216 / JIT-1220 / JIT-1224 / JIT-1228, Series 2

SIZE: L6.0 x W3.66 x H2.4m Any length by +/- 1.2m  
(L19.7' x W12' x H7.9')



## 11' Wide CARPORT

Galvanized steel tubing,  
Arch: dia.32mm. Purlin: dia.25mm  
Swaged ends connection  
Arches and purlins are bolted  
Arch spacing 4'  
Slanting support in the corners

MODEL: JIT-1116 / JIT-1120 / JIT-1124 / JIT-1128, Series 3

SIZE: L6.0 x W3.36 x H2.6m Any length by +/- 1.2m  
(L19.7' x W11' x H8.5')



# Innovation & Customization



This series was produced according to customer's requirement. You may find many interesting models, such as Breeding Shed, Round Tent, Large Green House, Pentagon Warehouse, Pop Up Tent, Double Car Tent...Big or Small, we cover it all!



## Breeding Shed 1006A series

Model	SIZE LxWxH (M)
JIT-1006A	3.0 x 2.0 x 1.7

## Breeding Shed 2020A series

Model	SIZE LxWxH (M)
JIT-2020A	6.0 x 6.0 x 3.7
JIT-2020AW	6.0 x 6.0 x 3.7
JIT-2020AS	6.0 x 6.0 x 3.7



## Higher Warehouse

Model	SIZE LxWxH (M)
JIT-2645H	13.64 x 7.9 x 6.2
JIT-2667H	20.43 x 7.9 x 6.2
JIT-2682H	25.00 x 7.9 x 6.2



## Peak Style Truss Tent

Model	SIZE LxWxH (M)
JIT-3230T	9.0 x 9.7 x 4.7
JIT-3240T	12.0 x 9.7 x 4.7
JIT-3265T	19.8 x 9.7 x 4.7
JIT-3278T	23.4 x 9.7 x 4.7



## Pentagon Warehouse

Model	SIZE LxWxH (M)
JIT-2020	6.0 x 6.2 x 4.0
JIT-2026	8.0 x 6.2 x 4.0
JIT-2033	10.0 x 6.2 x 4.0
JIT-2040	12.0 x 6.2 x 4.0

# Innovation & Customization



JITCOVER has a strong designing and development team to back up the innovation and development. Producing new shelters according to customers' requirements are always available in JITCOVER.

Tell us the size and the requirements of your specific shelter. We will work out a satisfying solution for you.



## Small Dome Tent

Model	SIZE LxWxH (M)
JIT-2030	9.15 x 6.1 x 3.66
JIT-2040	12.2 x 6.1 x 3.66
JIT-2050	15.0 x 6.1 x 3.66



## Round Tent

Model	SIZE
JIT-ROUND	Dia: 19m, H:9m



## Large Greenhouse

Model	SIZE LxWxH (M)
JIT-36210	64 x 11 x 6.4



## Pop Up Tent

Model	SIZE WxL (M)
JIT-1010J	3.0 x 3.0
JIT-1020J	3.0 x 6.0



## Single Car Port

Model	SIZE LxWxH (M)
JIT-1216	4.8 x 3.66 x 2.6
JIT-1220	6.0 x 3.66 x 2.6
JIT-1224	7.2 x 3.66 x 2.6
JIT-1228	8.4 x 3.66 x 2.6
JIT-1232	9.6 x 3.66 x 2.6

SEE MORE NEW ITEMS, PLS VISIT: [WWW.JITCOVER.COM](http://WWW.JITCOVER.COM)



# Assembly & Maintenance



## TOOLS REQUIRED

The following hand tool will be needed for proper installation of your new building:

12mm, 14mm, and 17mm Open End Wrenches.

12mm, 14mm, and 17mm Sockets or Box Wrench,

Large Flat Head Screwdriver, 21lb Maul or Sledgehammer, Tape Measure.

## ASSEMBLY PROCEDURE

Prepare location and place all unit boxes near location sight. Perform an inventory check before beginning, to be certain all components are available for installation.

Secure base plates flanges to base surface.

Assemble every group of arch.

Begin frame assembly with front end arch, first interior arch, purlins, etc.

Add to assemble other groups of arches.

Install main cover over frame.

Install end covers over end panels.

**Read all the detailed instructions and notices in the following assembly instructions!**

## MAINTENANCE AND CARE

If some parts or the cover were accidentally damaged during the use, contact the local supplier for advice on the repairing method or replacements, so that to prevent from further damage and keep the building in a good condition.

When replacing the parts, make certain the whole frame and the parts connected to the replaced parts be well fixed or supported.

Same with when attaching the cover, choose a windless day to replace the cover. Begin with making certain all the bolts of the frame and the tensioning equipments be well fixed. When taking off the cover, make sure the related ropes, etc. be taken off, and the cover will not be blocked during the way. Avoid taking off the cover with heavy big power equipments.

For the building with mechanical door. Keep the door closed if it is not used for long time. This helps the mechanical door to have a longer life.

To elongate the life of the cover, put small duct tape or foam rubber (provide it by yourself) on the frame that comes to in contact with cover. The tape and foam rubber acts as a cushion to avoid rubbing damage to the cover over years.

Periodically (once in half a year or more often), the building should be completely inspected and maintained internally and externally to make certain the building remains properly installed and secured. Including: check all bolts and hardware connectors to be certain they are in place and tightened, the base plates are still fixed firmly, check and adjust the ropes if in need, clean the cover with suitable washing. Allowing dirt and debris to sit on cover over an extended time will damage cover irreparably.

**Thanks again for choosing this quality product. The following is the detailed assembly instructions for you starting the assembly.**



**JIT INDUSTRIAL LIMITED**

**Office Address: No.7 SHANDONG Road, Qingdao, China 266071**

**Website: [www.jitcover.com](http://www.jitcover.com)**

**TEL: 0086-532-85813601-809    FAX: 0086-532-85813602-802**

**Email: [info@jitcover.com](mailto:info@jitcover.com)**